

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	61	("399"/\$.ccls. g03g\$.ipc.) and (fix fixing fuser fusing) same (guide guiding) near3 (distance mm millimeter cm centimeter inch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 15:45
S1	1	("20040228665").PN.	US-PGPUB; USPAT	OR	OFF	2005/09/07 13:36
S2	1	"20040228665"	DERWENT	OR	ON	2005/09/02 16:24
S3	1	2004-599528.NRAN.	DERWENT	OR	ON	2005/09/02 15:02
S4	2	"6298214"	US-PGPUB; USPAT	OR	ON	2005/09/02 16:35
S5	6336	399/320-323,328-334.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/02 17:06
S6	2003	399/320-323,328-334.ccls.	US-PGPUB; USPAT	OR	ON	2005/09/07 11:59
S7	135	("399"/\$.ccls. g03g\$.ipc.) and (fix fixing fuser fusing) same (guide guiding) with (coefficient friction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 10:03
S8	78	("399"/\$.ccls. g03g\$.ipc.) and (fix fixing fuser fusing) same (pressure) near3 plurality	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 15:44
S9	1737	("399"/\$.ccls. g03g\$.ipc.) and (pressure adj rollers)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 09:59
S10	1	2004-599528.NRAN.	DERWENT	OR	ON	2005/09/07 09:53
S12	450	("399"/\$.ccls. g03g\$.ipc.) and second near pressure	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 10:04

S13	264	("399"/\$.ccls. g03g\$.ipc.) and second near (press pressing pressure) near3 (roll roller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 10:04
S14	127	399/406.ccls.	US-PGPUB; USPAT	OR	ON	2005/09/07 11:59
S15	50	(US-20020037186-\$ or US-20020102116-\$ or US-20030021616-\$ or US-20040146322-\$ or US-20040146323-\$ or US-20040190956-\$ or US-20040223794-\$ or US-20040228665-\$ or US-20030190180-\$).did. or (US-4475804-\$ or US-4580033-\$ or US-4812873-\$ or US-4813868-\$ or US-4870464-\$ or US-4928148-\$ or US-4937631-\$ or US-4987457-\$ or US-5017970-\$ or US-5463444-\$ or US-5539509-\$ or US-5579097-\$ or US-5678161-\$ or US-5893019-\$ or US-5903810-\$ or US-5956554-\$ or US-6101365-\$ or US-6151458-\$ or US-6205316-\$ or US-6212356-\$ or US-6215965-\$ or US-6298214-\$ or US-6327456-\$ or US-6330419-\$ or US-6340810-\$ or US-6459877-\$). did. or (US-6505028-\$ or US-6539196-\$ or US-6574449-\$ or US-6603947-\$ or US-6658229-\$ or US-6816699-\$ or US-6909870-\$ or US-5255060-\$ or US-6002913-\$ or US-5870662-\$ or US-5258815-\$). did. or (JP-05273881-\$ or JP-2004020641-\$ or JP-04280280-\$).did. or (JP-2004240366-\$).did.	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2005/09/07 12:07
S16	7	S15 and guide with distance	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2005/09/07 12:07
S17	5	S15 and guide with (metal steel aluminum)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2005/09/07 12:17
S19	3	"2002352887"	JPO; DERWENT	OR	ON	2005/09/07 12:17
S20	2	"2000352887"	JPO; DERWENT	OR	ON	2005/09/07 12:19

S21	2	"6298214"	US-PGPUB; USPAT	OR	ON	2005/09/07 12:19
S22	1	("20050078987").PN.	US-PGPUB; USPAT	OR	OFF	2005/09/07 14:02
S23	0	("developingadjrollerandpolycyclic"). PN.	US-PGPUB; USPAT	OR	OFF	2005/09/07 14:03
S24	139	developing adj roller and polycyclic	US-PGPUB; USPAT	OR	ON	2005/09/07 14:03
S25	7	developing adj roller and polycyclic. clm.	US-PGPUB; USPAT	OR	ON	2005/09/07 14:03